



Symptom

This note lists the BW / BPC NW 10 tables for reference only

Environment

SAP Business Planning and Consolidation on NetWeaver, Version 10

Resolution

BW	Table Naming Conventions	Description
<u>Hierarchies:</u>		
	/XXX/H****	Hierarchy (XXX - BPC ID assigned at creation)
	/XXX/I****	Hierarchy MID structure (same as above)
	/XXX/J****	Hierarchy interval (same as above)
	/XXX/K****	Hierarchy MID table (same as above)
<u>Check Tables:</u>		
	/XXX/M****	Master data / attributes
	/XXX/S****	Master data MID
	/XXX/T****	Master data text table
	/XXX/U****	Master data text view
	/XXX/N****	Generated table view
<u>InfoObjects:</u>		
	/XXX/OI****	Data element
	/XXX/O****	Domain
<u>Communication Structure</u>		
	/BIC/CS****	Communication structures
<u>Transfer Structures:</u>		
	/BIC/CAC****	Transfer structure application (locally created)
	/BIC/CAD****	Transfer structure application (SAP delivered)
	/BIC/CID****	Transfer structure IDoc
	/BIC/B000****	Transfer structure application (PSA)
<u>InfoCubes:</u>		
	/CPMB/F*****	Fact Table
	/CPMB/D****N	Characteristics Dimension. N is the dimension #
	/CPMB/D****P	Data packet
	/CPMB/D****N	Time Dimension (BPC specific dimension)
	/CPMB/D****N	Unit Dimension (BPC specific dimension) - sometimes considered the RPTCURRENCY dimension
SE16	BW/BPC Table	Description
	UJ0_ACTION	BPC: Actions for BPC Statistics
	UJ0_ACTIONT	BPC: Action Texts
	UJ0_AUTO_CONTENT	BPC: Auto update file content.
	UJ0_AUTO_UPDATE	BPC: Autoupdate
	UJ0_CLUS_PARAM	Parameter Cluster Table for Parallel Calculation
	UJ0_EVENTS	BPC: Events
	UJ0_EVENTST	BPC: Events Texts
	UJ0_FACTORY	BPC: System table for BPC Factories
	UJ0_INNER_PARAM	BPC: internal parameter
	UJ0_NAME_RULE	BPC: Rules for BPC Object Names

UJ0_PARAM	BPC Parameters Independent of Appset and Application
UJ0_PARAM_APP	BPC Parameters Dependent of Appset and Application
UJ0_PARAM_APPT	Text table for UJ0_PARAM_APP
UJ0_PARAM_CHECK	BPC: Check IMG parameters
UJ0_PARAMT	Text table for UJ0_PARAM
UJ0_PLAN	BPC: Plan
UJ0_PLAN_LOG	BPC: Plan Log
UJ0_PLANT	BPC: Plan Description
UJ0_SCHEDULE	BPC: Schedule Information
UJ0_STAT_DTL	BPC: Statistics Detailed Info
UJ0_STAT_HDR	BPC: Statistics Header
UJ0_UT_DETAIL	BPC:Unit test report details
UJ0_UT_FILE	BPC: Unit Test Files
UJ0_UT_FLOG	BPC: Unit Test File Change Log
UJA_APP_RECATT	Recommended attributes for dimension and application types
UJA_APPL	BPC: Applications
UJA_APPL_DIM_JOB	BPC: Application's dimension for job usage
UJA_APPLT	BPC: Application Text
UJA_APPSET_INFO	BPC: Application Set Info
UJA_APPSETT	BPC: Application Set Text
UJA_APST_TYP_APP	BPC: Application Set type required Application types
UJA_APTYP_DIMTYP	BPC: Application type required dimension types
UJA_DIM_APPL	BPC: Application Dimensions
UJA_DIM_ATHIER	BPC: Dimension Hierarchy Info
UJA_DIM_ATTR	BPC: Dimension attribute
UJA_DIM_HIER	Contains the hierarchies of the dimensions
UJA_DIM_HIER_MAP	BPC: Mapping for hierarchy and hierarchy cache tables
UJA_DIM_OBSERVER	BPC: Dimension observer
UJA_DIM_OPT	BPC: Table of dimension option
UJA_DIMENSION	BPC: Dimensions
UJA_DIMENSIONT	BPC: Dimension Text
UJA_DMTYP_REFTYP	BPC: Required Reference Dimension and Property for Dim Types
UJA_DMTYP_REQATT	BPC: Dimension Type required Attributes
UJA_DOMAIN	BPC: Domains
UJA_DOMAINT	BPC: Domain Text
UJA_FILTER	BPC: Filter Table
UJA_FORMULA	BPC: Formula template
UJA_FORMULA_APP	BPC: Formula per Application
UJA_HIER_CLASS	BPC: Hierarchy class
UJA_LAST_APPSET	Contains the last used appset for users
UJA_LAST_USER	BPC: Last Application user has accessed
UJA_LOGGED_ON	BPC: User Logon History
UJA_REQ_FS_STRUC	BPC: Required File Service Strcuture Defintion
UJA_SERVER_INFO	BPC: Server Info
UJA_SHM_DEF	BPC: Shared Memory Definition for Appset
UJA_SVR_DEFAULT	BPC: Server Defaults
UJA_USER_CV	BPC: Current View
UJA_USER_DEF	BPC: User defaults
UJA_VALID_VAL	BPC: Valid Value
UJA3_CLT_OPT	BPC: Cilent option
UJA3_LANGU	BPC: Language
UJA3_SFT_VERSION	BPC: Software version
UJA3_USER_LANGU	BPC: User Language
UJAAR_JOB_INFO	BPC: Basic information regarding the ongoing jobs
UJAAR_JOB_INFOT	Message information for the jobs
UJAM_HIER_TRANS	BPC: Hierarchy Transformers
UJB_DEPEND	BPC: BPF Dependency
UJB_DRV_DIM	BPC: Table of BPF step DRV DIM
UJB_DRV_DIM_A	BPC: Table of BPF step DRV DIM
UJB_EMAIL10	BPC: BPF Email template table
UJB_EMAIL10_T	BPC: BPF Email template table texts
UJB_INST	BPC: BPF Instance
UJB_INST_A	BPC: BPF Instance

UJB_INST_OWN	BPC: Table of BPF instance owner
UJB_INST_OWN_A	BPC: Table of BPF instance owner
UJB_JOB_IDT	BPF: Job Identifier
UJB_JOB_PARA	BPF: Job parameters
UJB_MEM_ITEM	BPC: BPF Drive Dimesion Member Item
UJB_MEM_ITEM_A	BPC: BPF Drive Dimesion Member Item
UJB_MIG_TSK	BPF Task Migration 7.5 -> 10.0
UJB_RGN_ACC	BPC: BPF Step Region Access
UJB_RGN_ACC_A	BPC: BPF Step Region Access
UJB_SEND_JOB	BPF Notification Send Job
UJB_STATUS_MAP	BPF: Step Region status mapping
UJB_STEP	BPC: BPF Step
UJB_STEP_A	BPC: BPF Step
UJB_STEP_RGN	BPC: Table of BPF Step Region
UJB_STEP_RGN_A	BPC: Table of BPF Step Region
UJB_STEPT	BPC: Text table of BPF step
UJB_STEPT_A	BPC: Text table of BPF step
UJB_TMPL	BPC: Table of BPF Template Version
UJB_TMPL_A	BPC: Table of BPF Template
UJB_TMPL_ACC	BPC: Table of BPF Template Access
UJB_TMPL_ACC_A	BPC: Table of BPF Template Access
UJB_TMPL_HDR	BPC: Table of BPF Template Version
UJB_TMPL_HDR_A	BPC: Table of BPF Template
UJB_TMPL_HDRT	BPC: Text Table of BPF Template
UJB_TMPL_HDRT_A	BPC: Text Table of BPF Template
UJB_TMPLT	BPC: Text Table of BPF Template
UJB_TMPLT_A	BPC: Text Table of BPF Template
UJCTRL_ASSIGNMT	BPC: Assignements
UJCTRL_CONTROL	BPC: Controls
UJCTRL_CONTROLT	BPC: Control Text
UJCTRL_CT_FILE	BPC: Control Storage for Linked Documents
UJCTRL_CT_SET_AS	BPC: controls contained in control sets
UJCTRL_CTRL_SET	BPC: Control set
UJCTRL_CTRL_SETT	BPC: Control Text
UJD_CLASSES	BPC: Classes
UJD_CLUSTER_TB2	BPC: Store Temp Data (Replace UJD_CLUSTER_TABLE)
UJD_DATA_INFO	BPC: Information for Data in Cluster Table
UJD_DEF_INSTRUCT	BPC: Default Instruction
UJD_INSTRUCTION2	BPC: Instruction (Replace UJD_INSTRUCTION)
UJD_IP_INIT	BPC: InfoProvider Delta Initialization
UJD_IP_INITT	BPC: InfoProvider Delta Initialization Tex
UJD_LINK	BPC: Link
UJD_LINK_LOG	BPC: Link Log
UJD_LINK_TYPE	BPC: Link Type
UJD_LK_PRO_LOG	BPC: Link Property Log (Replace UJD_LINK_PRO_LOG)
UJD_LK_TASK_LOG	BPC: Link Task Log
UJD_PACKAGE_LINK	BPC: Package Link
UJD_PACKAGE_PLAN	BPC: Package Plan
UJD_PACKAGES2	BPC: Package (Replace UJD_PACKAGES)
UJD_PACKAGEST2	BPC: Package Text (Replace UJD_PACKAGEST)
UJD_PK_PLAN_MAP	BPC: Map between Package and Plan
UJD_PLINK_LOG	BPC: Package Link Log
UJD_PLINK_PLAN	BPC: Package Link Plan
UJD_PLK_PLAN_MAP	BPC: Map between Package Link and Plan
UJD_PRCPARAM	BPC: Process Parameter
UJD_STATUS	BPC: Package Status
UJE_CMS_ATTR	BPC: attributes for CMS migration use
UJE_CMS_USERINFO	BPC: user inforamtion for CMS migration us
UJE_FLDR_TEAM	BPC10: BUI Folder UUID and Team mapping table
UJE_MBRACS_TEMPL	BPC: Template Table used by Member Access
UJE_MEM_BWAU_MAP	BPC10: Map table
UJE_MEMACC_CACHE	BPC10:imension member access table
UJE_MEMACCESS	BPC10:imension member access table
UJE_PARAMETER	BPC10: Parameter table
UJE_PROFILE	BPC: Security profile table
UJE_PROFILE_AGR	BPC10: Appset profile active group
UJE_PROFILE_ASIN	BPC: Profile assignment
UJE_PROFILET	BPC: Profile Text

UJE_ROLE	BPC: Security roles
UJE_ROLE_TSKASGN	BPC: Security roles task assignment
UJE_ROLET	BPC: Role Text
UJE_TASK	BPC: Task security task table
UJE_TASK_SEC	BPC: Task security
UJE_TASK_SECT	BPC: Task security Text
UJE_TASKACCESS	BPC: Task access table for combining task
UJE_TASKGROUP	BPC: Task security group table
UJE_TASKGROUPT	BPC: Task Group Text
UJE_TASKT	BPC: Task Text
UJE_TEAM	BPC: Team
UJE_TEAM_AGR	BPC10: Appset team active group
UJE_TEAM_MULTAGR	BPC10: Team's single active groups. BPC impl of Team
UJE_TEAMT	BPC: Team Text
UJE_USER	BPC: Application users
UJE_USER_AGR	BPC10: Appset user active group
UJE_USER_SETTING	BPC: The preferences for Users
UJE_USER_SPECAGR	BPC10: Directly assigned team agrs not inherited
UJE_USER_TEAM	BPC: User team
UJE_VIEW_MAP	DB View for memeber access profile
UJE_VIEW_TP	DB View for task profile
UJF_APPSERV_DIR	BPC File Service Application Server Direct
UJF_DOC	BPC File Service Document Master Table
UJF_DOC_ACCESS	BPC: File Service Security Check Table, on Sub Module w level
UJF_DOC_CLUSTER	BPC File Service Document Cluster Table
UJF_DOCMAP	BPC File Service Document Directory Path Mapping Table
UJF_DOCTREE	BPC File Service Document Tree Table
UJG_DT	BPC: DrillThrough Target
UJG_DT_FIELD	BPC: DrillThrough Field
UJG_DT_MAPPING	BPC: DrillThrough Field Mapping
UJG_DTT	BPC: DrillThrough Text
UJH_COLLABSTYPE	BPC: Content sub type
UJH_COLLABSTYPET	BPC: Content sub type text
UJH_COLLABTYPE	BPC: Content type
UJH_COLLABTYPET	BPC: Content type text
UJH_EMAIL10	BPC: Content Library Email table.
UJH_EMAIL10T	BPC: Content Library Email Title Text table
UJH_RCPT_TEAM	BPC: Recipient Team
UJH_RCPT_USER	BPC: Recipient User
UJH_WEB_CONT_OBJ	BPC: Web content Object
UJH_WEB_CONTENTS	BPC: Web Contents
UJJ_DEPTBL	BPC: Dimension dependence table
UJJ_JRN_ID_NR	Number range for journal idsof an application
UJJ_JRNBACKUP	BPC: backup information for Journal template
UJJ_JRNID_NRANGE	Number range for journal ids of an application
UJJ_JRNL	BPC: Journals parameters
UJJ_JRNL_ADITMS	BPC: Journal extra parameters
UJJ_JRNTMPL_INFO	BPC: Journals template
UJJ_MEMSET	BPC: Dimension member set
UJJ_TMPL_ADITMS	BPC: Additional items for template
UJJ_TMPL_FLDS	BPC: Journal header fields
UJJ_TRANS_DETAIL	BPC: Journal transformation detail
UJJ_TRANS_MASTER	BPC: Journal transformation master
UJK_LGX_CONTEXT	BPC: Script Logic LGX file contexts
UJL_LIVEREPORTS	BPC: Live report template table
UJL_LIVEREPORTST	BPC: Live report text
UJM_IOBJ_SLT	Table of Infoobjects with SLT
UJM_SLTXT_FORMUL	Template for Super Long Text Table
UJM_SLTXT_MODEL	Template for Super Long Text Table
UJO_PARAM	BPC: UJO Technical parameters
UJP_CALC_ACCH	BPC: Account Transformation headers
UJP_CALC_ACCHT	BPC: Account Transformation header texts
UJP_CALC_ACCOUNT	BPC: Account Transformation details
UJP_COPY_OPE	BPC: Copy Opening
UJP_DIM_GENERATE	BPC: Dimension Generation
UJP_ELIM	BPC: Elimination Details
UJP_ELIMH	BPC: Elimination header
UJP_ELIMHT	BPC: Elimination header texts

UJP_FXTRANS	BPC: Currency Translation detail
UJP_FXTRANSH	BPC: Currency Translation header
UJP_FXTRANSH	BPC: Texts for Currency Translation header
UJP_ICBOOK	BPC: IC Booking
UJP_ICBOOKH	BPC: IC Booking headers
UJP_ICBOOKHT	BPC: IC Booking header texts
UJP_METHOD	BPC: Method
UJP_METHODH	BPC: Method headers
UJP_METHODHT	BPC: Method texts
UJP_PROC_LOG	Consolidation Process error log
UJP_PROC_STEP	BPC: Process Step of Consolidation
UJP_PROC_STEP_A	BPC: Archive Table of Consolidation Process
UJP_RULE	BPC: Rule Details
UJP_RULEH	BPC: Rule Header
UJP_RULEHT	BPC: Rule Header texts
UJP_STAMP_CONS	BPC: Time Stamp Table for Consolidation Result
UJP_STAMP_CT	BPC: Time Stamp Tabl for CT Result
UJP_STAMP_ENT	BPC: Time Stamp table for Transaction Data
UJP_US_ELIM	BPC: US Elimination
UJP_UT_CONFIG	BPC: Consolidation UT Engine Configuration
UJP_UT_LOG	BPC: Consolidation UT Engine Configuration
UJP_VALID_DEF	BPC: Validation Logic Definition
UJP_VALID_LOGIC	BPC: Necessary dimension and property for specific logs
UJP_VALIDATION	BPC: Validation
UJP_VALIDATIONH	BPC: Validation Header
UJQ_PARAM	BPC: Application specific customer info
UJR_PARAM	BPC: Application specific customer info
UJS_COMP_CLEAN	BPC: Component Clean class
UJS_CONTENT_OBJ	BPC Content Activation - Objects
UJT_APPL_DATA	BPC: Rollback data for application
UJT_APPSET_VERS	BPC: Appset version
UJT_CLM_BUFFER	BPC: CLM buffer table for data upload and download
UJT_CLM_CHECK	BPC: Store CLM check information
UJT_CLM_CLUSTER	BPC: CLM data buffer table
UJT_ENTITY_CLASS	BPC Transports - Entity classes
UJT_ENTITY_FILE	BPC: file path for entity
UJT_GUID	BPC: GUID mapping table
UJT_ID_MAPPING	BPC: Impot job information
UJT_IMPORT_JOB	BPC: Impot job information
UJT_IMPORT_LOCK	BPC: Import lock table
UJT_TRANS_DEL	BPC Transports - Deleted entity
UJT_TRANS_FILE	BPC Transports - Shadow File Table
UJT_TRANS_OBJECT	BPC Transports - Shadow Object Table
UJT_TRANS_VAL	BPC Transports 7.X-Transportable Values-Admin Default Table
UJT_VAL_CONFIG	BPC: transport setting for configuration
UJU_AUD_ARCHDYS	BPC: Audit Archive days
UJU_AUD_CTL	BPC: Audit control
UJU_AUDACTCOD	BPC: Audit activity codes
UJU_AUDACTCODT	BPC: Audit activity codes
UJU_AUDACTDET	BPC: Activity audit detail
UJU_AUDACTDET_A	BPC: Activity audit detail Archive
UJU_AUDACTHDR	BPC: Activity audit header
UJU_AUDACTHDR_A	BPC: Activity audit header Archive
UJU_AUDDATAHDR	BPC: Activity audit data
UJU_AUDDATAHDR_A	BPC: Activity audit data
UJU_AUDSTING	BPC: Audit settings
UJU_FUNC_TASK	BPC: Audit Funcational Task
UJU_FUNC_TASKT	BPC: Audit Funcational Task
UJU_META	BPC: Audit Metadata
UJU_METAT	BPC: Audit Metadata
UJV_DRVDIM	BPC Validations - Driver Dimensions Table
UJV_MODULES	BPC Validations - Module On/Off Table
UJV_RULE_LOGIC	BPC Validations - Rule Logic
UJV_RULE_MBRS	BPC Validations - Rule Members
UJV_RULES	BPC Validations - Rules
UJW_APPL_STATUS	Application lock status cache
UJW_EMAIL10	BPC Work Status - Email Setting Table
UJW_EMAIL10T	BPC Work Status - Email Setting Text Table

UJW_LCK_DIM	BPC Work Status - Lock Dimension Table
UJW_STATCODE	BPC Work Status - Status Code Table
UJW_STATCODET	BPC Work Status - Status Code Text Table
UJW_UPD_LOG	BPC Work Status - Locks Update Log Table
UJX0_AT_CASE_RS	testcase result view
UJX0_AT_EXEC	AT execution overview table
UJX0_AT_RESULT	AT Result table
UJX0_AT_RS_CASE	automation test result of testcase level
UJX0_AT_SUBSCRIB	AT test result subscriber table
UJX0_AT_TESTCASE	BPC: automation test test case table
UJX0_AT_TESTLOG	BPC: automation test test case record logs
UJX0_TMP_REC	BPC: automation test temp record list tabl
UJX0_USER_REC	BPC: automation test user recordable and sequence list table
UJXA_JOB_INFO	BPC: Basic information regarding the ongoing jobs
UJXA_JOB_INFOT	Message information for the jobs
UJXO_CLUSTER_TBL	Cluster table to store shared buffer for dimension cache
UJXO_DIM_CACHE	Dimension cache
UJY_AVA_BAND	BPC: AVA Performance band
UJY_AVA_BANDPRO	BPC: AVA performance band properities
UJY_AVA_GLO_COMP	BPC: Glpbal dimension comparison
UJY_AVA_GLOBAL	BPC: AVA global configuration
UJY_AVA_GLOBAND	BPC: AVA Global Performance band
UJY_AVA_KPI	BPC: KPI
UJY_AVA_KPI_AUTH	BPC: AVA KPI authorization
UJY_AVA_KPI_CAT	BPC: AVA KPI category
UJY_AVA_KPI_COMP	BPC: KPI dimension comparison
UJY_AVA_KPI_CONS	BPC: KPI dimension constraint
UJY_AVA_KPIT	BPC: Text table of KPI
UJY_AVA_NONTRAV	BPC: AVA non traversal dimension
UJY_DBB_C_FML	BPC: Customer defined formula
UJY_DBB_C_FMLT	BPC: Text table of customer defined formula
UJY_DBB_CMPR	BPC: Comparator in condition
UJY_DBB_COND	BPC: Condition of operand
UJY_DBB_CONDT	BPC: Text table of condition
UJY_DBB_CV	BPC: Current view used in DBB (comparator, operand, etc.)
UJY_DBB_DRV	BPC: Driver
UJY_DBB_DRVT	BPC: Text table of driver
UJY_DBB_OPR	BPC: Operand used in rule's formula
UJY_DBB_RULE	BPC: Rule
UJY_DBB_RULET	BPC: Text table of rule
UJY_DBB_S_FML	BPC: System delivered formula
UJY_DBB_S_FMLT	BPC: Text table of system delivered formula
UJY_DBB_SCOPE	BPC: Scope of rule in DBB
UJY_DBB_SQN	BPC: Sequence
UJY_DBB_SQN_RULE	BPC: Linkage of sequence and rules
UJY_DBB_SQNT	BPC: Text table of sequence
UJY_V_SYS_FML	BPC: Maintenance View of system formula
UJY_V_SYS_FMLT	BPC: Maintenance View of text table of system formula
UJZ_BOOK_INFO	BPC: Book information table
UJZ_FIXKEY	BPC: Table of books fixkey
UJZ_PUB_BOOKS	Table to store published books
UJZ_PUB_INFO	BPC: detail information of published books

Keywords

backend; BW; Business Warehouse; Code; Transaction;

Header Data

Released On 23.02.2016 10:09:13
Release Status Released to Customer
Component EPM-BPC-NW NetWeaver Version
Priority Normal
Category How To

Product

Product	Product Version
SAP Business Planning and Consolidation, version for SAP NetWeav	SAP Business Planning and Consolidation 10.0, version for SAP Ne